Vågen Screw Press VSP 150





Gear Motor

- SEW 0,37 kW
- Other brands available on request

Rotor

AISI 316, 304

Trough

AISI 316, 304

Delivery Time

12-14 weeks

Applications

- Recycling
- Slaughterhouses
- Agriculture
- Fishing

VÅGEN SCREW PRESS – VSP 150


Mechanical dewatering is the most energy-efficient method for separating liquid from solids.

VSP 150 is durable and easy to maintain. The press is supplied with a perforated screen depending on the material to be dewatered, with hole sizes ranging from 3mm to 8mm.

We can also supply the necessary start-up applications, all in accordance with the Machinery Directive and, if required, ATEX. Simple start/stop or frequency control for optimal operation with different materials.

Vågen Screw Press VSP 150





GENERAL INFORMATION

- Standard components
- Energy-efficient drive units from SEW Eurodrive, high quality
- Dewatering with low energy consumtion
- Manufactured in acid-resistant and food-grade approved material AISI 316, or other materials upon request
- Interchangeable screens, perforated screens with customized opening sizes

- Connection for automatic flushing and cleaning of the screen box
- Conformity in accordance with the Machinery Directive 2006/42/EC
- · Compact design.
- Solid content 25-35% TS
- Adjustable spring-loaded back pressure

